



Product Service

CERTIFICATE

No. Z1A 15 05 90361 002

Holder of Certificate: Kinnarps ABIndustrigatan 1
521 88 Kinnarp
SWEDEN**Certification Mark:****Product:** Visitor chair**Tested
according to:**DIN EN 16139:2013
AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 713052385**Valid until:** 2020-05-17**Date,** 2015-05-20
(Harald Bardowicks)

Page 1 of 4





Product Service

CERTIFICATE**No. Z1A 15 05 90361 002****Model(s):****Embrace****Parameters:**

- Back moulded wood (beech, birch, oak, walnut) or with upholstered back board
- Seat upholstered, padded
- Underframe four-legged, sledge, cantilevers in black, white, silver (powder coated) or chrome finished
- cross base underframe Aluminium: black, silver (powder coated) or polished
- Adjustable seat height with gas spring
- Armrests: Aluminium, black, white, silver (powder coated) or polished
- Black plastic armrest pad.

Model-overview with further details,
please see Appendix 1.

Factory(ies):

90361

Appendix 1 to Certificate No Z1A 15 05 90361 002

Visitor chairs "Embrace"

942 WO / 942A WO:	
Total width:	510/635 mm
Total depth:	540 mm
Total height:	835 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 490 mm
Weight:	7,2 / 9,2 kg
942 WOFA / 942A WOFA:	
Total width:	510/635 mm
Total depth:	540 mm
Total height:	835 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 490 mm
Weight:	7,4 / 9,4 kg
942 CFRAME WO / 942A CFRAME WO:	
Total width:	505/630 mm
Total depth:	560 mm
Total height:	840 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 480 mm
Weight:	9,1 / 11,1 kg
942 CFRAME WOFA / 942A CFRAME WOFA:	
Total width:	505/630 mm
Total depth:	560 mm
Total height:	840 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 480 mm
Weight:	9,3 / 11,3 kg
942 SLEDGE WO / 942A SLEDGE WO:	
Total width:	570/630 mm
Total depth:	560 mm
Total height:	820 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 490 mm
Weight:	8,5 / 10,5 kg



Product Service

942 SLEDGE WOFA / 942A SLEDGE WOFA:	
Total width:	570/630 mm
Total depth:	560 mm
Total height	820 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	455 – 490 mm
Weight:	8,7 / 10,7 kg
942 XBASE4 WO / 942A XBASE4 WO:	
Total width:	505/630 mm
Total depth:	540 mm
Total height	760 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	365 – 505 mm
Weight:	8,5 / 10,5 kg
942 XBASE4 WOFA / 942A XBASE4 WOFA:	
Total width:	505/630 mm
Total depth:	540 mm
Total height	760 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	365 – 505 mm
Weight:	8,7 / 10,7 kg
942 XBASE5 WO / 942A XBASE5 WO:	
Total width:	660 mm
Total depth:	620 mm
Total height	830 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	409 – 540 mm
Weight:	10,7 / 12,7 kg
942 XBASE5 WOFA / 942A XBASE5 WOFA:	
Total width:	660 mm
Total depth:	620 mm
Total height	830 mm
Seat width:	450 mm
Seat depth:	450 mm
Seat height:	409 – 540 mm
Weight:	10,9 / 12,9 kg
The height of the armrests above the seat of all mentioned models are: 220 mm.	