



HOPPE pull handles

For All HOPPE Door and Window Handles ...



HOPPE Pull handles

Pull handles are an integral part of the HOPPE product range: from straight bar-shaped models – often available with either a round or a square basic shape – to flat bow-shaped, semi-circular, triangular and even U-shaped versions, there is sure to be the perfect solution for any style of entrance door. All these options offer impressive durability and come with HOPPE's standard 10-year guarantee on the mechanical function.

In addition to the classic natural surface colour of our aluminium pull handles, our stainless-steel pull handles score not only with an elegant matt look, but also with a trendy matt black finish perfectly matching current furnishing styles.

Assembly is quick and easy: HOPPE pull handles can be mounted on aluminium, PVC and timber doors – either on one side or in pairs – using the tried-and-tested HOPPE pull handle fixing system.

Non-standard lengths available upon request.






The duravert® product line


for the discerning



E5513D
Page 8



M516
Page 9



M517
Page 9



The duraplus® product line

more than usual



(E)5010
Page 12, 14



(E)5110
Page 12, 23



(E)5210
Page 12, 24



(E)5310
Page 13, 24



E5000
Page 13



E5011
Page 15





E5012
Page 16



E5014
Page 17



E5015
Page 17



E5040
Page 18



E5061
Page 19



E5062
Page 20



E5091
Page 21



E5095
Page 22



E5100
Page 22



E5200
Page 23



E5311
Page 25



E5511
Page 25



E5606
Page 26



E5718
Page 26



E5724
Page 27



E5726
Page 28



E5766
Page 29



Pull Handles



for the discerning **duravert®**




E5513D

duravert®

- HOPPE stainless steel bow-shaped pull handle with design elements:
- Design elements: connecting rings to the supports
 - Supports: round, inclined at an angle of 45°
 - Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Bow-shaped pull handle with design grooves, piece	30		1841531				1	1
		250						
		300	1841653				1	1




Athinai - M516

duravert®

- HOPPE brass bow-shaped pull handle:
- Fixing: concealed, pull handle fixing system no. 11



Description		Distance	F77-R				P.U.	O.C.
			Art. no.					
Bow-shaped pull handle, piece		250	1894499				1	5



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

■ **Athinai - M517**


duraver[®]

HOPPE brass straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description		Distance	F77R/F52R				P.U.	O.C.
			Art. no.					
Straight pull handle, piece		250	3054717				1	8



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]



■ **Athinai - M517/19**


duraver[®]

HOPPE brass straight pull handle with roses:

- Fixing: concealed, multi-purpose screws



Description		Distance	F77R/F52R				P.U.	O.C.
			Art. no.					
Straight pull handle with roses, piece		250	3054709				1	5



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]



Pull Handles





more than usual **duraplus®**

Pull Handles


5010

duraplus®

HOPPE aluminium straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Distance	F1				P.U.	O.C.
			Art. no.					
Straight pull handle, piece	30	300	8051229				1	5
		350	6859177				1	5




5110

duraplus®

HOPPE cranked aluminium pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Distance	F1				P.U.	O.C.
			Art. no.					
Cranked pull handle, piece	30	300	8051419				1	5
		350	8051385				1	5




5210

duraplus®

HOPPE aluminium triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Distance	F1				P.U.	O.C.
			Art. no.					
Triangular pull handle, piece	30	300	8051336				1	5



■ **5310**


duraplus®



HOPPE aluminium semi-circular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Description	Ø	Distance	F1				P.U.	O.C.
			Art. no.					
Semi-circular pull handle, piece	30	300	8051260				1	5
		350	8051252				1	5



■ **E5000**

duraplus®



HOPPE stainless steel straight pull handle:


- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Fixing distance: 400-1,200 mm is possible
- Please state required fixing distance.



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Straight pull handle, piece	25	300	553648				1	5
		350	602551				1	5






■ **E5010**

duraplus®

- HOPPE stainless steel straight pull handle:
- Fixing: concealed, pull handle fixing system no. 11
 - **Non-standard lengths available upon request**
 - Fixing distance: 301-2,400 mm is possible
 - Support: from a fixing distance of 1,301 mm an additional support is recommended
 - Please state required fixing distance and the additional support if requested.



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Straight pull handle, piece	30	300	556144				1	5
		350	602599				1	5



■ **E5011**

duraplus®

HOPPE stainless steel bar-shaped pull handle:


- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 100-2,570 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports if asymmetric positioning is requested.



Description	Ø	Length	F69	F9714M			P.U.	O.C.
		Distance	Art. no.	Art. no.				
Bar-shaped pull handle, piece	30	400	6520605				1	5
		300						
		500	2010595				1	5
		300						
		600	2010624	11841308			1	5
		400						
		800	2010632	11797952			1	5
		560						
		1000	2010659	11827622			1	5
		700						
		1200	2010974	11797964			1	1
		900						
		1400	2010982	11827634			1	1
		1000						
		1600	2011029	11827221			1	1
		1200						
		1800	2011037	11835448			1	1
		1300						





E5012

duraplus®

HOPPE stainless steel bar-shaped pull handle:


- Supports: round, inclined at an angle of 45°
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 100-2,570 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports and handing of the pull handle (pointing to the left or the right) if asymmetric positioning of the supports is requested.



Description	Ø	Length	F69	F9714M			P.U.	O.C.
		Distance	Art. no.	Art. no.				
Bar-shaped pull handle, piece	30	400	8124414				1	5
		300						
		500	2011053				1	5
		300						
		600	2011061	11821954			1	5
		400						
		800	2011555	11797976			1	5
		560						
		1000	2011571	11827646			1	5
		700						
		1200	2011598	11797988			1	1
		900						
		1400	2011643	11830864			1	1
		1000						
		1600	2011678	11827269			1	1
		1200						
		1800	2011707	11835497			1	1
		1300						



E5014

duraplus®



HOPPE stainless steel bar-shaped pull handle:

- Supports: cranked, aluminium
- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Length	F69/F1-2				P.U.	O.C.
		Distance	Art. no.					
Bar-shaped pull handle, piece	30	400	2206301				1	5
		250						
		500	2206344				1	1
		300						
		600	2206387				1	1
		400						
		800	2206424				1	1
		560						
		1000	2206459				1	1
		700						

Special lengths on request.



E5015

duraplus®

HOPPE stainless steel straight pull handle, mitred angles:

- Fixing: concealed, pull handle fixing system no. 11


Non-standard lengths available upon request

- Fixing distance: 301-2,600 mm is possible
- Please state required fixing distance.



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Straight pull handle, mitred corners, piece	30	300	2206766				1	5
		350	2206782				1	5

Special lengths on request.






■ **E5040**

duraplus®

HOPPE stainless steel straight pull handle pair:
• Fixing: concealed, for pull handle fixing system no. 5



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Straight pull handle, pair	20	200	2799240				1	5
		300	2799258				1	5
		650	2799274				1	5





■ E5061

duraplus®

HOPPE stainless steel bar-shaped pull handle:


- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 100-2,570 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports if asymmetric positioning is requested.



Description	Ø	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Bar-shaped pull handle, piece	35	400	3225070				1	5
		300						
		500	3225299				1	5
		300						
		600	3225301				1	5
		400						
		800	3225310				1	5
		560						
		1000	3225336				1	5
		700						
		1200	3225344				1	1
		900						
		1400	3225361				1	1
		1000						
		1600	3225387				1	1
		1200						
		1800	3225395				1	1
		1300						





E5062

duraplus®

HOPPE stainless steel bar-shaped pull handle:


- Supports: round, inclined at an angle of 45°
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 100-2,570 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports and handing of the pull handle (pointing to the left or the right) if asymmetric positioning of the supports is requested.



Description	Ø	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Bar-shaped pull handle, piece	35	400	3225117				1	5
		300						
		500	3225408				1	5
		300						
		600	3225432				1	5
		400						
		800	3225441				1	5
		560						
		1000	3225459				1	5
		700						
		1200	3225467				1	1
		900						
		1400	3225475				1	1
		1000						
		1600	3225483				1	1
		1200						
		1800	3225491				1	1
		1300						



■ **E5091**

duraplus®

HOPPE stainless steel pull handle with D-shaped cross section of the bar:


- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request:

- Length of the handle: 270-2,000 mm is possible
- Fixing distance: 100-1,970 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports if asymmetric positioning is requested.



Description	<input type="checkbox"/>	Length	F69	F9714M			P.U.	O.C.
		Distance	Art. no.	Art. no.				
Pull handle with D-shaped cross section of the bar, piece		600	11825133	11827889			1	1
		400						
		800	11681391	11827658			1	1
		560						
		1000	11681408	11827665			1	1
		700						
		1200	11681415	11827671			1	1
		900						
		1400	11681421	11827683			1	1
		1000						
		1600	11681512	11827695			1	1
		1200						
		1800	11681433	11835539			1	1
		1300						



E5095


duraplus®

HOPPE stainless steel pull handle with D-shaped cross-section of the bar, return-to-door shape:

- Fixing: concealed, pull handle fixing system no. 11



Description		Distance	F69	F9714M			P.U.	O.C.
			Art. no.	Art. no.				
Pull handle with D-shaped cross-section of the bar, return-to-door shape, piece		600	11825595	11827713			1	1
		800	11825601	11827725			1	1
		1000	11681378	11829874			1	1
		1200	11681445	11829953			1	1
		1400	11681457	11829965			1	1
		1600	11681469	11829977			1	1



E5100


duraplus®

HOPPE cranked stainless steel pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Cranked pull handle, piece	25	300	602575				1	5
		350	556090				1	5



■ E5110


duraplus®

HOPPE cranked stainless steel pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Cranked pull handle, piece	30	300	602605				1	5
		350	610563				1	5



■ E5200


duraplus®

HOPPE stainless steel triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Triangular pull handle, piece	25	300	573578				1	5
		350	610556				1	5



E5210


duraplus®

HOPPE stainless steel triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Triangular pull handle, piece	30	300	556106				1	5
		350	595297				1	5



E5310


duraplus®

HOPPE stainless steel semi-circular pull handle:

- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Semi-circular pull handle, piece	30	300	6804538				1	5
		350	598212				1	5



E5311


duraplus®

HOPPE stainless steel semi-circular pull handle:

- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Distance	F69				P.U.	O.C.
			Art. no.					
Semi-circular pull handle, piece	30	300	588282				1	5
		350	610617				1	5



E5511


duraplus®

HOPPE stainless steel bow-shaped pull handle:

- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11
- **Please note: tolerances may be possible due to production technology; door preparation should only be made after reception of the product**



Description	Ø	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Bow-shaped pull handle, piece	30	350	2707940				1	5
		210						
		800	2611059				1	1
		695						
Bow-shaped pull handle with additional third support, piece	30	1200	2694851				1	1
		1000						
	30	1600	2694860				1	1
		1400						






E5606

duraplus®

- HOPPE stainless steel bow-shaped rectangular pull handle:
- Supports: square, straight
 - Fixing: concealed, pull handle fixing system no. 11



Description	Ø	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Bow-shaped rectangular pull handle, piece		408	2206871				1	5
		250						
		500	2420375				1	5
		350						
		697	2292473				1	5
		500						




E5718

duraplus®

- HOPPE stainless steel straight angular pull handle, mitred angles:
- Fixing: concealed, pull handle fixing system no. 11



Description	□	Length	F69				P.U.	O.C.
		Distance	Art. no.					
Straight angular pull handle, mitred angles, piece	30x30	330	3226030				1	5
		300						
		500	3226048				1	1
		470						



■ **E5724**

duraplus®

HOPPE stainless steel rectangular bar-shaped pull handle:


- Supports: square, inclined at an angle of 45°
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 180-2,560 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports and handing of the pull handle (pointing to the left or the right) if asymmetric positioning of the supports is requested.



Description	<input type="checkbox"/>	Length	F69	F9714M			P.U.	O.C.
		Distance	Art. no.	Art. no.				
Rectangular bar-shaped pull handle, piece	40x15	400	3977458				1	5
		300						
		500	3977466				1	5
		300						
		600	3977474	11831789			1	5
		400						
		800	3977503	11827300			1	5
		560						
		1000	3977520	11831790			1	5
		700						
		1200	3977538	11827312			1	1
		900						
		1400	3977554	11835588			1	1
		1000						
		1600	3977589	11827361			1	1
		1200						
		1800	3977597	11835576			1	1
		1300						





E5726

duraplus®

HOPPE stainless steel rectangular bar-shaped pull handle:


- Supports: square, straight
- Fixing: concealed, pull handle fixing system no. 11

Non-standard lengths available upon request

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 180-2,560 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports if asymmetric positioning is requested.



Description	<input type="checkbox"/>	Length	F69	F9714M			P.U.	O.C.
		Distance	Art. no.	Art. no.				
Rectangular bar-shaped pull handle, piece	40x15	400	3977239				1	5
		300						
		500	3977255				1	5
		300						
		600	3977263	11698561			1	5
		400						
		800	3977280	11827476			1	5
		560						
		1000	3977298	11842453			1	5
		700						
		1200	3977343	11827488			1	1
		900						
		1400	3977351	11835680			1	1
		1000						
		1600	3977360	11827543			1	1
		1200						
		1800	3977386	11835595			1	1
		1300						





■ E5766

duraplus®


HOPPE stainless steel square bar-shaped pull handle:


- Supports: square, straight
- Fixing: concealed, pull handle fixing system no. S-9 M8

Non-standard lengths available upon request:

- Length of the handle: 250-2,600 mm is possible
- Fixing distance: 180-2,560 mm is possible
- Supports: from a fixing distance of 1,301 mm an additional support is recommended
- Please state required handle length, fixing distance and the additional support if requested. Kindly state position of the supports if asymmetric positioning is requested.









Description		Length	F69				P.U.	O.C.
		Distance	Art. no.					
Square bar-shaped pull handle, piece	35x35	400	3975591				1	5
		300						
		500	3975604				1	5
		300						
		600	3975612				1	5
		400						
		800	3975621				1	5
		560						
		1000	3975639				1	5
		700						
		1200	3975647				1	1
		900						
		1400	3975655				1	1
		1000						
		1600	3975663				1	1
		1200						
		1800	3975671				1	1
		1300						



Explanation of Attributes and Symbols

Explanation of attributes

Denomination	Description	Attribute
Brand attributes	<ul style="list-style-type: none"> distinguish all HOPPE products convey the brand promise 	 10-year guarantee on the mechanical operation  Made in Europe  DIN EN ISO 14001 Environmentally-considerate manufacturing
Special attributes	<ul style="list-style-type: none"> underline a unique selling proposition or an essential additional benefit of the HOPPE brand product 	 10-year surface guarantee
Product attributes	<ul style="list-style-type: none"> present important information on a product or a benefit of the product are identified with the pictograms designed by HOPPE 	 Stainless steel  Solid brass

Explanation of symbols

\varnothing	diameter
duravert® duraplus® duranorm®	HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert® , duraplus® and duranorm® . duraplus® stands for the medium product line.

Finishes

Aluminium



F1
silver effect

Stainless steel



F69
satin



F69/F1-F2
mat silver effect



F9714M
black matt

Brass



F77-R
brass-coloured,
polished – **Resista®**



F77R/F52R
brass coloured, pol-
ished/satin – **Resista®**

HOPPE Nordic Countries Oy
Hyryläinkatu 8
FI-04300 Tuusula

Tel. +358 9 25 84 34 24
info.nordic@hoppe.com
www.hoppe.com

Trading partners in the Nordic Countries:

Trading partner in Sweden:

BESLAGSKONSULT AB
Neongatan 11
SE-431 53 Mölndal

Tel. +46 31 91 40 30
info@beslagskonsult.se
www.beslagskonsult.se

Trading partner in Finland:

Scancerco OY
Mestarintie 13
FI-01730 Vantaa

Tel. +358 40 1625 227
myynti@scancerco.fi
www.scancerco.fi

Trading partner in Denmark:

KH TRADE AS
Theilgaards Allé 3A, "Den Hvide By"
DK-4600 Køge

Tel. +45 70 23 40 30
info@kh-trade.dk
www.kh-trade.dk

Trading partner in Norway:

BOYESEN & MUNTHE A/S
Tvetenveien 152
NO-0671 Oslo

Tel. +47 23 34 70 00
post@boyesen-munthe.no
www.boyesen-munthe.no