



Product Service

# CERTIFICATE

No. Z1A 16 08 90361 016

**Holder of Certificate:** Kinnarps ABIndustrigatan 1  
521 88 Kinnarp  
SWEDEN**Certification Mark:****Product:**Office Desks  
Sit-/ standing desk tables**Tested  
according to:**EK5/AK3 13-01:2014  
AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

**Test report no.:**


713088562

**Valid until:**

2021-08-30

**Date,** 2016-08-31  
( Harald Bardowicks )

Page 1 of 5





Product Service

## CERTIFICATE

No. Z1A 16 08 90361 016

## Model(s):

Table System Oberon

## Parameters:

Height adjustable (SS/SSA):

Sit/stand desks (SS round legs/SSA square legs) are  
variably height adjustable with press of a button.

The desk height is between 615 and 1275 mm.

Sit/stand adjustable legs (SM/SMA):

The manually adjustable legs (SM round/SMA square) for  
sedentary work are to customize for different users.

With a crank the tabletop is raised and lowered.

The adjustable height range is between 615 and 835 mm.

Legs with a fixed height of 740 mm (SF) are available  
for all tables.

Tabletop:

Thickness: 22 mm

Chipboard with wood and a solid wood  
lipping or laminated

Underframe:

Powder-coated dual-function beam with  
T-slot and perforation pattern matching  
leg colour

T-frame consisting of powder-coated steel

SS/SSA: 72/66/60 mm

SM/SMA: 70/60 mm

SF/SFA: 70 mm

Foot:

In aluminum or steel

With concealed adjustment screw for  
uneven floors (0 - 10 mm)

Further parameters see attachment.

## Factory(ies):

90361



Product overview table system Oberon:

Product name	Dimension Length x Depth	Model-no.
<b>Table 1212D</b> For connection on 1 or both sides	1200 x 600 mm	<b>OB1212D</b> Freestanding Connected 1 side (2 legs) Connected on both (1 leg)
<b>Table 1210</b> For connection on 1 or both sides	600/1000 x 1200/800 mm	<b>OB1210</b> Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1288</b> For connection on 1 or both sides	800/1200 x 1200/800 mm	<b>OB1288</b> Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 814</b> Freestanding or for connection on 1 or both sides	1400/400 x 800/600 mm	<b>OB814</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 816</b> Freestanding or for connection on 1 or both sides	1600/400 x 800/600 mm	<b>OB816</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1016</b> Freestanding or for connection on 1 or both sides	1600/400 x 1000/800 mm	<b>OB1016</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1018</b> Freestanding or for connection on 1 or both sides	1800/400 x 1000/800 mm	<b>OB1018</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1020</b> Freestanding or for connection on 1 or both sides	2000/400 x 1000/800 mm	<b>OB1020</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1216</b> Freestanding or for connection on 1 or both sides	1600/600 x 1200/800 mm	<b>OB1216</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1218K</b> Freestanding or for connection on 1 or both sides	1800/600 x 1200/800 mm	<b>OB1218K</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)
<b>Table 1220</b> Freestanding or for connection on 1 or both sides	2000/600 x 1200/800 mm	<b>OB1220</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg) Connected on both (1 leg)



<b>Table 1221K</b> Freestanding or for connection on 1 side	2100/600 x 1200 mm	<b>OB1221K</b> Freestanding Connected on 1 side (2 legs)
<b>Table 8816</b> Freestanding or for connection on 1 or both sides	1600/600 x 800 mm	<b>OB8816</b> Freestanding Edge 1 connected (2 legs) Edge 2 connected (1 leg)
<b>Table 84</b> For connection on 1 side	800 x 400 mm	<b>OB84</b> Connected 1 side
<b>Table 104</b> For connection on 1 side	1000 x 400 mm	<b>OB104</b> Connected 1 side
<b>Table 68</b> For connection on 1 or both sides	600 x 800 mm	<b>OB68</b> Connected 1 side Connected on both
<b>Table 88</b> Freestanding or for connection on 1 or both sides	800 x 800 mm	<b>OB88</b> Freestanding Connected 1 side Connected on both
<b>Table 108</b> Freestanding or for connection on 1 side	1000 x 800 mm	<b>OB108</b> Freestanding Connected 1 side
<b>Table 128</b> Freestanding or for connection on 1 side	1200 x 800 mm	<b>OB128</b> Freestanding Connected 1 side
<b>Table 148</b> Freestanding or for connection on 1 side	1400 x 800 mm	<b>OB148</b> Freestanding Connected 1 side
<b>Table 168</b> Freestanding or for connection on 1 side	1600 x 800 mm	<b>OB168</b> Freestanding Connected 1 side
<b>Table 188</b> Freestanding or for connection on 1 side	1800 x 800 mm	<b>OB188</b> Freestanding Connected 1 side
<b>Table 208</b> Freestanding or for connection on 1 side	2000 x 800 mm	<b>OB208</b> Freestanding Connected 1 side
<b>Table 66</b> Connection on 1 side only	600 x 600 mm	<b>OB66</b> Connected 1 side
<b>Table 86</b> Freestanding or connection on 1 side	800 x 600 mm	<b>OB86</b> Freestanding Connected 1 side
<b>Table 106</b> Freestanding or connection on 1 side	1000 x 600 mm	<b>OB106</b> Freestanding Connected 1 side
<b>Table 126</b> Freestanding or connection on 1 side	1200 x 600 mm	<b>OB126</b> Freestanding Connected 1 side
<b>Table 146</b> Freestanding or connection on 1 side	1400 x 600 mm	<b>OB146</b> Freestanding Connected 1 side
<b>Table 6125</b>	1250 x 600 mm	<b>OB6125</b> Freestanding or: connected 1 side outlet 1 or 3 or: connected 2 sides outlet 1 or 3 or: 1 edged connected outlet 2



<b>Table 148A</b> Freestanding or connection on 1 side	1400 x 800 mm	<b>OB148A</b> Freestanding Connected 1 side
<b>Table 168A</b> Freestanding or connection on 1 side	1600 x 800 mm	<b>OB168A</b> Freestanding Connected 1 side
<b>Table 188A</b> Freestanding or connection on 1 side	1800 x 800 mm	<b>OB188A</b> Freestanding Connected 1 side
<b>Table 208A</b> Freestanding or connection on 1 side	2000 x 800 mm	<b>OB208A</b> Freestanding Connected 1 side
<b>Table 149A</b> Freestanding or connection on 1 side	1400 x 900 mm	<b>OB149A</b> Freestanding Connected 1 side
<b>Table 169A</b> Freestanding or connection on 1 side	1600 x 900 mm	<b>OB169A</b> Freestanding Connected 1 side
<b>Table 189A</b> Freestanding or connection on 1 side	1800 x 900 mm	<b>OB189A</b> Freestanding Connected 1 side
<b>Table 209A</b> Freestanding or connection on 1 side	2000 x 900 mm	<b>OB209A</b> Freestanding Connected 1 side